



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/933,104	08/20/2001	Richard Sedrani	100-8024E/C1	7148

1095 7590 12/14/2004

NOVARTIS
CORPORATE INTELLECTUAL PROPERTY
ONE HEALTH PLAZA 104/3
EAST HANOVER, NJ 07936-1080

EXAMINER

CEPERLEY, MARY

ART UNIT	PAPER NUMBER
----------	--------------

1641

DATE MAILED: 12/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 1641


1) All claims are allowable. However, due to a potential interference, *ex parte* prosecution is SUSPENDED FOR A PERIOD OF SIX MONTHS from the date of this letter. Upon expiration of the period of suspension, applicant should make an inquiry as to the status of the application.


2) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary (Molly) E. Ceperley whose telephone number is (571) 272-0813. The examiner can normally be reached from 8 a.m. to 4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le, can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

December 06, 2004


Mary (Molly) E. Ceperley
Primary Examiner
Art Unit 1641


JASEMINE C. CHAMBERS
DIRECTOR
TECHNOLOGY CENTER 1600